

我要—PASS



質 量 更 高 務 服 更 好

一年免費升級服務

<http://www.51-pass.com>

Exam : 000-434

**Title : IBM Tivoli Netcool
Performance Manager for
Wireless V9.1.2**

Version : Demo

1. Which two applications must be running before the IBM Tivoli Netcool Performance Manager for Wireless application can be started properly? (Choose two.)

- A. Mediation Service
- B. (SAP) Process Monitor
- C. Process Control Agent
- D. LDAP Directory Server
- E. DataLoad SNMP Collector

Answer: BD

2. Which component of IBM Tivoli Netcool Performance Manager for Wireless requires Perl v5.6.1?

- A. adapter
- B. gateway
- C. database
- D. report templates

Answer: B

3. When configuring multiple identical loaders, which two entries in the processes-<loader>.properties file must be changed to differentiate the new loader? (Choose two.)

- A. host
- B. name
- C. params
- D. pmgtprovider
- E. sequence number

Answer: BE

4. Once the gateway has generated and transferred the lif files, which log file indicates it was loaded successfully?

- A. \$WMCROOT/logs
- B. \$WMCROOT/admin/logs
- C. \$WMCROOT/logs/loader

D. \$WMCROOT/gways/config

Answer: C

5. Which agent controls the synchronizing of the directory server with the configured data source?

A. DB_SYNC

B. DS_SYNC

C. LDAP_SYNC

D. DICTIONARY_SYNC

Answer: C

6. Which component of the IBM Tivoli Netcool Performance Manager for Wireless system is used to connect an IBM Tivoli Netcool Performance Manager for Wireless user to the data source?

A. xml schema

B. WebServices Layer

C. data source adapter

D. Application Framework

Answer: D

7. Which software module is essential to the basic functioning of the IBM Tivoli Netcool Performance Manager for Wireless performance management solution?

A. Adapter Layer

B. Bulk Data Loader

C. WebServices data source adapter

D. Extraction, Transformation and Loading (ETL) Data Layer

Answer: D

8. What are two valid response file variables? (Choose two.)

A. LOADER_INSTALL

B. GATEWAYS_INSTALL

C. DS_SCHEMA_INSTALL

- D. GATEWAYS_CONFIGURE
- E. DS_SCHEMA_CONFIGURE

Answer: BC

9. What are two valid response file variables? (Choose two.)

- A. DB_CMD_LINE
- B. SCHEMA_CMD_LINE
- C. DB_INSTALL_CMD_LINE
- D. LOADER_INSTALL_CMD_LINE
- E. SCHEMA_INSTALL_CMD_LINE

Answer: CE

10. What does the UserConfig.pm file manage?

- A. the loading of .lif files into the database
- B. the loading of .pif files into the database
- C. the post-parsing of data files to create a .lif file
- D. the post-parsing of data files to create a .pif file

Answer: C

11. Which directory is used for vendor-specific gateway files?

- A. vstart
- B. config
- C. modules
- D. gateway-framework

Answer: B

12. What is a mandatory stage within the gateway framework?

- A. Engine
- B. Aggregation
- C. Pre-Conversion

D. Data Generation

Answer: A

13. What is a mandatory stage within the gateway framework?

A. Aggregation

B. Post Parser

C. Pre-Conversion

D. Data Generation

Answer: B

14. Which database table uniquely characterizes a set of data for a particular technology and vendor?

A. lc_ruleset

B. ld_ruleset

C. lc_relations

D. ld_relations

Answer: A

15. Which database table defines the load mapping of blocks of data for a specific rule set to tables in the database?

A. lc_relations

B. ld_relations

C. lc_loadmap

D. ld_loadmap

Answer: C

16. Each subsystem of the Technology Pack architecture consists of a file or set of files to configure it.

Which xml files are required to configure the metalayer of a Technology Pack?

A. main.xml and <entity_name>.xml files

B. main.xml and relations_<techpack>.xml files

C. relations_<techpacks>.xml and <entity_name>.xml files

D. relations_<techpack>.xml and datasource_<techpack>.xml files

Answer: A

17. What does the main.xml file define?

- A. the relationship between the entity info, file type, and table definition
- B. the relationship between the module info, loader type, and field name
- C. the relationship between the entity info, table definition, and field name
- D. the relationship between the module info, table definition, and field name

Answer: D

18. What does the report template that comes with a Technology Pack contain?

- A. only datasource, entity type, and fields
- B. datasource, entity type, fields, and filtering
- C. datasource, entity type, fields, and extended function
- D. datasource, entity type, fields, and date-time selection

Answer: A

19. Under the \$WMCROOT/admin/techpacks/<TP_NAME>/<DATASOURCE_NAME>/ directory, which type of xml file is not customizable?

- A. metalayer/*.xml
- B. loadmaps/dataavailability_<*>.xml
- C. summaries/SummaryInstance.xml
- D. busyhours/BusyHourInstance.xml

Answer: A

20. Given the following sample block of lif file:

```
TYPE_290 {  
    C145A 23  
    C145B 599  
    C145C 200
```

```
BSC_NAME BACH4_1  
BTS_INDEX 20  
CELL_CI 57219  
}
```

Which table will store the value of C145A traffic counter?

- A. NC_BSC
- B. NC_CELL
- C. LC_LOADMAP
- D. ALC_CELL_INT_TAB

Answer: D