

我要—PASS



質 量 更 高 務 服 更 好

一年免費升級服務

<http://www.51-pass.com>

Exam : 090-161

**Title : SCO OPENSERVR(TM)
RELS 5 ADMIN AE FR
MASTER ACE V30A1 TEST**

Version : DEMO

1.In SCO OpenServer Release 5, which file specifies the system default login shell for new user accounts created with scoadmin(ADM)?

- A./etc/default/accounts
- B./etc/default/authsh
- C./usr/lib/mkuser/accounts
- D./usr/lib/mkuser/authsh

Answer: A

2.If a user has a umask value of 027, what will be the permissions of any new regular file created by that user?

- A.-rw-r----
- B.-rwxr-x--
- C.-----w-rw-
- D.-----w-rwx

Answer: A

3.Which term best describes a system process that runs in the background?

- A.daemon
- B.defunct
- C.parent
- D.zombie

Answer: A

4.How can you identify most daemon processes from the output of the following command: ps -ef

- A.There is a UID of system.
- B.There is a ? in the tty column.
- C.There is a d in the status column.
- D.There is a PID greater than 500.

Answer: B

5.In SCO OpenServer Release 5, which command shows filesystem usage by user?

- A.df(C)
- B.dtype(C)
- C.quot(ADM)
- D.fsstat(ADM)

Answer: C

6.Which command clears the contents of a system log file without deleting the file itself?

- A.> /usr/adm/messages
- B.< /usr/adm/messages
- C.clear /usr/adm/messages
- D.rm /usr/adm/messages

Answer: A

7.What does the following command line do: tar tv

- A.It shows the type of archive device.
- B.It shows the time when an archive was created.
- C.It updates the time stamp on the default tar(C) device.
- D.It displays the table of contents of the default tar(C) device.

Answer: D

8.Which command line shows the proper syntax for copying a file from a DOS floppy disk to a UNIX directory?

- A.cp a:file.txt /tmp/file_text
- B.copy a:file.txt /tmp/file_text
- C.doscp a:file.txt /tmp/file_text
- D.cp -dos a:file.txt /tmp/file_text

Answer: C

9.What information is NOT required for the cbackup(ADM) command to perform a backup?

- A.Backup device
- B.Backup level
- C.Backup time
- D.Filesystem

Answer: C

10.If you need to restart the print service daemon, which command should you use?

- A.lpadmin(ADM)
- B.lpsched(ADM)
- C.enable(C)
- D.accept(ADM)

Answer: B